

PRESS RELEASE HLI70

Hi-line boosts environmental credentials even further with switch to R513a refrigerant

Hi-line Industries, an established and reputable UK manufacturer of high-quality compressed air purification equipment, has released the 2021 version of its energy-efficient Tundra refrigeration dryers. Most notable among the enhancements is a switch of refrigerant to R513a in models up to and including Tundra 115 (115 cfm, 195 m³/hr capacity). A HFC/HFO blend, R513a refrigerant has no ODP (Ozone Depletion Potential) and a much reduced CO₂ impact in comparison with the previous R134a refrigerant. As a result, customers can rest assured that Hi-line is continuing its commitment to sustainability in manufacturing by minimising its carbon footprint.

The F-Gas regulation means that refrigerants with a GWP (Global Warming Potential) of more than 2500 are now subject to a ban. However, while R134a is below this limit and remains legal, it is sufficiently high for the regulation to stipulate an incremental phasing-down of production quotas to help reduce environmental impact. R513A is widely viewed as the optimum replacement.

Importantly, R513a is an A1 safety group refrigerant and is neither toxic nor combustible. Unlike flammable refrigerants, R513a is subject to less stringent regulations in handling, maintenance intervals and compulsory leak tests, thus saving time and money.

Switching to R513a builds on the sustainable credentials of the Tundra range, which is already renowned for its optimised energy efficiency via capabilities such as minimal pressure drop and lower absorbed power. Reduced energy consumption is vital in today's ultra-competitive marketplace, which is why Hi-line has worked hard to offer customers a dryer solution that drives down energy costs.

Continued

The company's integrated Direct Expansion technology delivers a constant +3°C dewpoint, unlike a chilled mass dryer, which can be as high as +10°C during its thermal cycle. Furthermore, the single-cell, all-aluminium heat exchanger module provides highly efficient heat transfer at low energy cost, while a further notable energy-saving attribute is the variable-speed fan, which only consumes the energy necessary to meet essential operational needs.

A robust, high-quality build standard is another attribute of these class-leading dryers. For instance, by controlling the fan speed on the refrigerant circuit there is no need for fan-pressure switches, which can often become defective in dryers of this type. The fewer moving parts, the more reliable the product, making it ideal for applications that include workshop air and machine air in general manufacturing, as well as further uses in sectors that include packaging, textile, food, beverage, medical, dairy and automotive.

Hi-line's standard Tundra range is available ex-stock at from the company's Burton factory for next-day delivery. Six models in the series feature R513a refrigerant, with dryer selection based on factors such as maximum compressed air flow, lowest operating pressure, maximum ambient air temperature and maximum air inlet temperature. Expert assistance from Hi-line's applications team can help customers to select the optimum dryer.

As a final note, since the UK's departure from the EU, new legislation has entered force concerning the import of Freons. Any company importing pre-charged refrigeration equipment that carries a CO₂ impact of more than 100 tonnes per annum is required to register on the Environment Agency website for an F-Gas account and record the CO₂ amount in tonnes relating to those imports. As Hi-line imports the refrigeration units for its Tundra range, the company has successfully obtained a new licence and fully discloses its imports and volumes in order to comply completely with the legislation.

Continued

Further information is available from: Hi-line Industries Ltd,

Green Street, Burton on Trent, Staffordshire DE14 3RT

Telephone: 01283 533377

Fax: 01283 533367

e-mail: enquiries@hilineindustries.com

www.hilineindustries.com

(approximately 620 words
including photographic annotation)

General Information

Reader response inquiries to: Mr Steven D Smith
Sales & Marketing Director of Hi-line Industries Ltd

Downloads:

The press release text (MS Word and PDF format) and image are available for download at:
www.enterprise-marketing.co.uk/hli/hli70.html

Our Reference: HLI70/21/05/V1



The switch to R513a refrigerant in models up to and including Tundra 115 offer a much reduced CO2 impact for Hi-line's 2021 range of refrigeration air dryers.

[Download high resolution 300dpi image](#)

[Download low resolution 72dpi image](#)

END